
CERTIFICATE OF ANALYSIS

PRODUCT NAME: HYLASTRA GOLD SOFTGEL
MANUFACTURED FOR: PURITY PRODUCTS
GMP ITEM CODE#: PUR20907p
PACKAGING LOT#: 20103
MANUFACTURING LOT#: SB014796
REFERENCE #: 821065
DATE OF MANUFACTURE: 03/22/2022
EXPIRATION DATE: 03/2024
COUNT PER BOTTLE: 90 SOFTGELS
PURCHASE ORDER: 35683940

TESTS:	SPECIFICATIONS:	RESULTS:	METHODS:
SIZE:	24 Oblong Soft gels	Conforms	Organoleptic
ODOR:	Characteristic	Conforms	Organoleptic
COLOR:	Dark Amber	Conforms	Organoleptic
AVG. FILL WEIGHT:	1210 mg (±10%)	1246 mg	In-House

INGREDIENTS:	SPECIFICATIONS:	RESULTS:
--------------	-----------------	----------

Each 3 softgels contain the following:

Vitamin C (as Magnesium Ascorbate)	60 mg	84 mg (AP-030)
Vitamin E (as Natural Mixed Tocopherols)	10 mg	10 mg*
Folic Acid	400 mcg	400 mcg*
Vitamin B-12 (as Methylcobalamin)	100 mcg	100 mcg*
Magnesium (as Magnesium Ascorbate)	7 mg	7 mg*
BioCell Collagen®	1000 mg	1000 mg*
(Hydrolyzed chicken sternal cartilage extract)		
Hydrolyzed Collagen Type II (as Protein) 600mg		
Chondroitin Sulfate 200 mg		
Hyaluronic Acid 100 mg		
IP6 phytate (from rice bran)	21mg	21 mg*
Ferulic Acid (from Rice Bran)	25 mg	25 mg*
5-Loxin	25 mg	25 mg*
Pomegranate Fruit Extract	40 mg	40 mg*
Quercetin Dihydrate	60 mg	60 mg*
Omega-3 Fish Oil Concentrate	305 mg	305 mg*
Eicosapentaenoic Acid (EPA) 90 mg		113.46 mg (AP-005)
Docosahexaenoic Acid (DHA) 55 mg		84.00 mg (AP-005)
Borage Oil	245 mg	245 mg*
Gamma Linolenic Acid (GLA) 44 mg		48.99 mg (AP-022)
Linoleic Acid (LA) 72 mg		85.74 mg (AP-022)

OTHER INGREDIENTS: Rice Bran Oil, Gelatin, Glycerin, Soy Lecithin, Beeswax, Purified Water, Natural Lemon Flavor, St. John's Bread

*Conformed by Manufacturing Process

CERTIFICATE OF ANALYSIS

PRODUCT NAME: HYLASTRA GOLD SOFTGEL
MANUFACTURED FOR: PURITY PRODUCTS
GMP ITEM CODE#: PUR20907p
PACKAGING LOT#: 20103
MANUFACTURING LOT#: SB014796
REFERENCE #: 821065
DATE OF MANUFACTURE: 03/22/2022
EXPIRATION DATE: 03/2024
COUNT PER BOTTLE: 90 SOFTGELS
PURCHASE ORDER: 35683940

MICROBIOLOGICAL ANALYSIS

TEST	SPECIFICATIONS	RESULT	METHOD
Standard Plate Count	≤10,000 cfu/g	<10 cfu/g	USP<2022>
Yeast	≤1,000 cfu/g	<10 cfu/g	USP<2022>
Mold		<10 cfu/g	USP<2022>
Enterobacteriaceae	<100 cfu/g	<10 cfu/g	USP<2022>
E.Coli	Negative/10g	Negative/10g	USP<2022>
Salmonella	Negative/25g	Negative/10g	USP<2022>
Staphylococcus aureus	Negative/10g	Negative/10g	USP<2022>



Quality Control Department

Date: April 27, 2022