

CERTIFICATE OF ANALYSIS

PRODUCT NAME: PRELOX MEN'S MULTI TABLET
MANUFACTURED FOR: PURITY PRODUCTS
GMP PRODUCT CODE#: PUR20919
PACKAGING LOT#: 20003
MANUFACTURING LOT#: 721071
DATE OF MANUFACTURE: 11/20/2021
EXPIRATION DATE: 05/2023
COUNT PER BOTTLE: 90 TABLETS
PURCHASE ORDER#: 35575433

| TESTS: | SPECIFICATIONS: | RESULTS: | METHODS: |
|-------------------|-------------------------------|----------|--------------|
| SIZE: | 0.315" x 0.750" Tablet | Conforms | Organoleptic |
| SHAPE: | Oblong Tablet/Caplet | Conforms | Organoleptic |
| ODOR: | Characteristic | Conforms | Organoleptic |
| COLOR: | Light pink with Dark speckles | Conforms | Organoleptic |
| (before coating) | | | |
| COLOR: | Blue | Conforms | Organoleptic |
| (after coating) | | | |
| WEIGHT VARIATION: | 1250 mg (±5%) | Conforms | In-House |

| INGREDIENTS: | SPECIFICATIONS: | RESULTS: |
|--------------|-----------------|----------|
|--------------|-----------------|----------|

Each 3 tablets contain the following:

| | | |
|--|-------------------|-----------------------|
| Vitamin A (as Beta Carotene) | 3000 IU (900 mcg) | 3000 IU (900 mcg)* |
| Vitamin C (as Ascorbic Acid) | 250 mg | 250 mg* |
| Vitamin D (as Cholecalciferol) | 2000 IU (50 mcg) | 2000 IU (50 mcg)* |
| Vitamin E (as d-Alpha Tocopheryl Succinate) | 22.38 IU (15 mg) | 22.38 IU (15 mg)* |
| Vitamin B1 (as Thiamine HCl) | 5 mg | 5 mg* |
| Vitamin B2 (as Riboflavin) | 5 mg | 5 mg* |
| Niacin (as Niacinamide) | 25 mg | 25 mg* |
| Vitamin B6 (as Pyridoxine HCl) | 10 mg | 10 mg* |
| Folic Acid | 400 mcg | 400 mcg* |
| Methylcobalamin (as MecobalActive®) | 50 mcg | 50 mcg* |
| D-Biotin | 30 mcg | 30 mcg* |
| Pantothenic Acid (as d-Calcium Pantothenate) | 10 mg | 10 mg* |
| Iodine (as Iodine Amino Acid Chelate) | 150 mcg | 150 mcg* |
| Zinc (as Zinc Methionine/OptiZinc®) | 15 mg | 16.30 mg (USP<730>) |
| Selenium (as Selenium Yeast) | 100 mcg | 101.60 mcg (USP<730>) |
| Chromium (as Chromium Picolinate) | 100 mcg | 100 mcg* |
| Boron (as Boron Citrate) | 5 mg | 6.20 mg(USP<730>) |
| Prelox Performance Blend | 1440 mg | 1440 mg* |
| L-Arginine (as L-arginine HCl) | 1400 mg | 1400 mg* |
| Pycnogenol® (Maritime Pine Bark Extract) | 40 mg | 40 mg* |
| Lutein (as FloraGlo®) | 10 mg | 10 mg* |
| BioPerine®(as Black Pepper Extract 95% Piperine) | 3 mg | 3 mg* |
| Zeaxanthin (as Marigold Flower Extract) | 2 mg | 2 mg* |

CERTIFICATE OF ANALYSIS

PRODUCT NAME: PRELOX MEN'S MULTI TABLET
MANUFACTURED FOR: PURITY PRODUCTS
GMP PRODUCT CODE#: PUR20919
PACKAGING LOT#: 20003
MANUFACTURING LOT#: 721071
DATE OF MANUFACTURE: 11/20/2021
EXPIRATION DATE: 05/2023
COUNT PER BOTTLE: 90 TABLETS
PURCHASE ORDER#: 35575433

OTHER INGREDIENTS: Dicalcium Phosphate, Stearic Acid, Microcrystalline Cellulose, Croscarmellose Sodium, Magnesium Stearate, Silicon Dioxide, Hypromellose, Hydroxypropyl Cellulose, Polydextrose, Calcium Carbonate, Spirulina Ext & Medium Chain Triglycerides.

* Conformed by Manufacturing Process

HEAVY METAL ANALYSIS

| ANALYTE | RESULTS | MANUFACTURING SPECIFICATIONS | METHOD |
|---------|---------------------|------------------------------|----------|
| Arsenic | <1.80 µg/03 Tablets | Meets Prop 65 | USP<730> |
| Cadmium | <0.91 µg/03 Tablets | | |
| Lead | 0.2 µg/03 Tablets | | |
| Mercury | <0.36 µg/03 Tablets | | |

MICROBIOLOGICAL ANALYSIS

| TEST | SPECIFICATIONS | RESULT | METHOD |
|------------------------|----------------|--------------|----------------|
| Standard Plate Count | ≤ 3,000 cfu/g | 2,400 cfu/g | AOAC-Petrifilm |
| Yeast | ≤ 300 cfu/g | <10 cfu/g | AOAC-Petrifilm |
| Mold | | <10 cfu/g | AOAC-Petrifilm |
| E.Coli | Negative/10g | Negative/10g | USP |
| Salmonella | Negative/25g | Negative/25g | USP |
| Staphylococcus aureus | Negative/10g | Negative/10g | USP |
| Pseudomonas aeruginosa | Negative/10g | Negative/10g | USP |

MANUFACTURING

The manufacturing documentation for the above mentioned product has been reviewed and it has been determined that this batch was manufactured in accordance with its master production documents.

QUALITY ASSURANCE

All documentation has been reviewed and found to be in compliance with the master production documents.



Quality Control Department

Date: December 10, 2021